

Authorize Distributor For West Bengal

DreamHouse Interiors Solutions Pvt Ltd

DreamHouse **PLY** Plywood | Laminates | Veneers Acrylic Sheets | Louvers | Decoratives **86A Topsia Road, Haute Street, 1st** Floor, Room No - 102, Kolkata (South), Pincode - 700046, (West Bengal) Landmark - Ojas Banquet Hall .

+91- 8758089999



SCAN QR CODE

FOR

E CATALOGUE

(www.crystaline.com





.... 0 0 0 000 0 0 0

CRÝSTA INE

1.5 MM ACRYLIC









DESIGNING COMFORT DEFINIDE

| 0 | | | |
|---|---|---|--|
| 0 | 1 | | |
| | 0 | | |
| ۲ | 0 | | |
| ۲ | ۲ | 1 | |
| | ۲ | 0 | |
| 0 | 9 | ۲ | |
| | ۲ | | |
| | 1 | | |
| 0 | 0 | Ø | |
| | ۲ | 3 | |
| | | | |

Crystaline is a leading brand offering best in class furniture laminates. The company has attained the technology prowess and expertise It offers a variety of laminates having unique features like innovative designs and distinctive patterns. Keeping the needs of architects and designers in mind, we have created this folder to portray an assembly of modern and trendy laminates suiting the needs of a classic attic and even contemporary abodes.

APPLICATION

Available in Size

....

....

....

2440mm X 1220mm (8ft X 4ft)

Thickness : same as sample use in brochure

| | KITCHEN | | FURN |
|-----------------------------|---|-------------|-----------------------------|
| | COMMERCIAL | | HEALT |
| FEAT | URES | | |
| Sigh ANTI SCRATCH | Treated with a special lacquer coating on the surface, our 6th anti scratch acrylic laminates can bear daily wear & tear. | ANTI YELLOW | Anti-Yellow l |
| TEDMITE 9. | Our laminate are specially treated to ensure they remain termite and borer free for several years. | | Lots of Rang Collection. |



....

000 000


TERMITE &


BORER FREE

For ease of use and Effortless installation, our Range of laminates have been developed in A way to keep them extremely light weight.

P HIGHLY DURABILITY & STRENGTH

WIDE RANGE






























CN - LZI - 22001

9 19 3

. . .

* *

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



FULL VIEW

CRŸSTAINE







1.5 MM ACRYLIC


and the second sec


140mm X 220mm

CN - 10100 PR





















EB - 78





CN - 10104 PR




ω


N

 \bigcirc

EB - 79









EB - 75


There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.





CN - 10102 PR







CN - LZ2 - 22005










CN - LZ2 - 22008







CN - LZ2 - 22006










ANTISCRATCH



CN - LZ2 - 22007



There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




D ω () \square D ----- \square \mathcal{O}







1.5 MM ACRYLIC




















1.5 MMACRYLIC

CN - 10109 PR

EB - 79



There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



CN - 10110 PR

EB - 80

31 -32







1.5 MM ACRYLIC




CN - 10202 PR



















CN - 10201 PR








1.5 MM ACRYLIC

138mm X 220mm





There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.





EB - 83

FULL VIEW




0

R

U

D





CN - 10113 PR

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



EB - 85

100r

ε

22mI

FULL VIEW


39 -40





ANTISCRATCH

61



CN - 10114 PR

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.







EB - 82

FULL VIEW





 \square

 \square

D


















1.5 MMACRYLIC

CN - 25 PR

22mm X 85mm


85mm X 190mm

EB - 25 PR

CN - 50 PR

EB - 50 PR

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.




51 52






1.5 MM ACRYLIC





EB - 58





9 M 3 . . .





1.5 MM ACRYLIC

85mm X 190mm


CN - 20 PR

22mm X 85mm

EB - 20 PR










* *












9 19 3 . . . 8 9 9

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

CRŸSTALINE



CN - 23 PR



22mm X 85mm

CN - 31 PR

22mm X 85mm

EB - 31 PR

S

0

20

S


D

X

 \mathcal{O}

 \mathcal{D}

S












CRYSTALINE








S 20 S Π \bigcirc J _____ S

CRŸSTALINE

































CRŸSTALINE



CRŸSTALINE 85mm X 70mm S 0

CN - 29

EB - 29

22mm X 85mm

gic of its

20

S

 \mathcal{O}

 \square

 \mathcal{D}

S

















| | | | | | _ | | | | | _ | |
|----------------|----------|-------------------------------|---------------|----------|--------------------|------------|----------|--------|------------|----------|--------|
| Design No. | Page No. | Colour | Design No. | Page No. | Colour | Design No. | Page No. | Colour | Design No. | Page No. | Colour |
| CN - Lz1-22003 | 04 | H | CN - 10202 PR | 34 | MARUR | CN - 26 PR | 56 | | CN - 64 | 68 | |
| CN - 64 | 04 | | CN - 10204 PR | 34 | | CN - 47 PR | 58 | | CN - 45 | 68 | |
| CN - Lz1-22004 | 06 | $H \to $ | CN - 10203 PR | 34 | | CN - 49 PR | 58 | | CN - 32 | 70 | |
| CN - 54 | 06 | | CN - 10201 PR | 36 | | CN - 52 PR | 58 | | CN - 11 | 70 | |
| CN - Lz1-22002 | 08 | | CN - 10115 PR | 38 | Sec. 25 | CN - 38 PR | 58 | | CN - 12 | 70 | |
| CN - Lz1-22001 | 10 | $\langle + + \rangle \rangle$ | CN - 10113 PR | 40 | PERSONAL PROPERTY. | CN - 48 PR | 58 | | CN - 30 | 70 | |
| CN - 10100 PR | 14 | 1000 1 | CN - 10114 PR | 42 | | CN - 19 | 60 | | CN - 24 | 72 | |
| CN - 18 | 14 | | CN - 11 | 46 | | CN - 15 | 60 | | CN - 53 | 72 | |
| CN - 20 PR | 14 | | CN - 12 | 46 | | CN - 11 | 60 | | CN - 43 | 74 | |
| CN - 10106 PR | 16 | | CN - 21 | 46 | | CN - 17 | 60 | | CN - 27 | 74 | |
| CN - 17 | 16 | | CN - 28 | 46 | | CN - 39 PR | 62 | | CN - 28 | 74 | |
| CN - 10105 PR | 18 | | CN - 39 PR | 48 | | CN - 53 PR | 62 | | CN - 57 PR | 74 | |
| CN - 10104 PR | 18 | | CN - 25 PR | 48 | | CN - 37 PR | 62 | | CN - 41 | 76 | |
| CN - 10101 PR | 20 | | CN - 53 PR | 48 | | CN - 22 PR | 62 | | CN - 19 | 76 | |
| CN - 10102 PR | 20 | | CN - 49 PR | 48 | | CN - 23 PR | 62 | | CN - 14 | 76 | |
| CN - 64 | 20 | | CN - 18 | 50 | | CN - 31 PR | 62 | | CN - 29 | 76 | |
| CN - 17 | 20 | | CN - 21 | 50 | | CN - 40 | 64 | | CN-01 | 80 | |
| CN - Lz2-22005 | 22 | 24 | CN - 54 | 50 | | CN - 13 | 64 | | CN-02 | 80 | |
| CN - Lz2-22008 | 24 | نې مېر | CN - 55 | 50 | | CN - 12 | 64 | | CN-03 | 80 | |
| CN - Lz2-22006 | 24 | 1 | CN - 25 PR | 52 | | CN - 34 | 64 | | CN-04 | 78 | |
| CN - Lz2-22007 | 26 | | CN - 50 PR | 52 | | CN - 35 | 64 | | | | |
| CN - 10116 | 28 | Jacob R | CN - 58 PR | 54 | | CN - 33 | 66 | | | | 111111 |
| CN - 10103 | 28 | 1 th and a second | CN - 59 PR | 54 | | CN - 16 | 66 | | | | 1111 |
| CN - 10109 PR | 32 | | CN - 25 PR | 54 | | CN - 11 | 66 | | | | 11 |
| CN - 10110 PR | 32 | | CN - 20 PR | 56 | | CN - 46 | 66 | | | | |

TECHNICAL GENERATION

| Parameters | CRYSTALINE Acrylic Laminate | High Gloss Laminate Mica | PU Coating / Duco Paint | Back Painted Glass |
|-----------------------------------|--------------------------------|-----------------------------|----------------------------|--------------------|
| Gloss Level | >90 | >70 | >85 | >85 |
| Scratch Proof | 6H Antisractch | No | No | No |
| Color Consistency | Excellent | Not Good | Not Good | Not Good |
| Orange Peel | No | Yes | Yes | Yes |
| UV Resistance | Excellent | Bad | Bad | Bad |
| Water Resistance | Excellent | Bad | Bad | Excellent |
| DRY Heat Resistance | Excellent | Good | Bad | Bad |
| Volatile Organic Compounds (VOCs) | No | Yes | Yes | Yes |

PANEL STRUCTURE



6H Antiscratch Coating

ylic Laye

Glue Line PVC Based Film Layer Primer Coating

LIMITED WARRANTY

CRYSTALINE Products are tested to be reasonably free of defects, and when used and fabricated properly they will comply with the applicable manufacturing specifications within realistic deviations. we recommend customers to insect properly before installing. ACRYPOLY warranty in on way covers defects and non-compliance from or otherwise attributable ti any other causes, including without limitation the following:

- Improper handling / transportation / storage of CRYSTALINE
- Improper installation of CRYSTALINE
- Improper or unintended usage of CRYSTALINE
- Lack of or improper maintenance of CRYSTALINE
- Exposure to high temperatures





.....

....

.....

* * *

....

....

0 0 0




USE ONLY ADHESIVE FOR ACRYLIC SHEETS

- Unauthorized alteration to the products Outdoor applications
- There will be no guarantee or exchange under any circumstances
- Color variations in products from different batches are possible
- We recommend using products from same batch to avoid color variations
- This brochure is for presentation purposes only. Actual colors may differ.




To avoid de lamination / air bubbles in between ply and laminate the above steps should be taken care of. Bonding of acrylic sheets shouldn't be completed under high humidity



Acrylic are bonded in extremely humid



uneven substrate surface



4 19 3

. . .

....

8 9 9

0 0 0 0 0 0

Insufficient or lack of pressing during the bonding period of laminate



installation

DISCLAIMER

Do not use plywood with high moisture content, Do not use ply with uneven surface, Avoid using inferior quality adhesive, Apply sufficient pressure We do not recommend pasting of sheets on the printed/branding area of the plywood

DO'S & DON'T'S

- 1. Store the laminates below 30°C temperature. To avoid the inside cracks & stretch line, do not store acrylic sheet in roll form.
- 2. Clean the surface of laminate with water and clean, non-abrasive cloth. We recommend cleaning with COLIN glass cleaner and soft Micro fibre cloth.
- 3. Glossy surfaces recommended to use in vertical applications.
- 4. Do not use alcohol based cleaners, solvent, petrol or oil as these may damage the surface of the laminate. Do not use cloth other than micro fibre.
- 5. Do not use thinner on the surface of CRYSTALINE laminates.
- 6. Do not place hot cookware directly on the laminate as the exposure to temperatures above 30°C may cause damage to the laminate surface.
- 7. Outdoor application of the laminate with exposure to direct sunlight and weather conditions are strict not recommended. UV rays may de-shape the laminate.

CRYSTAINE

Debonding in certain areas because of

When substrate loses moisture after



Use of water base synthetic resin adhesive any other the PEVA (Polyethylene Vinyl Acetate Copolymer)



000

6 9 9

0 0 0

* * *

. . .

. .

. . .

0 9 9

. .



Use of extremely large acrylic/PVC laminate sheets (more than 8 ft x 2 ft